

Список литературы к брошюре А.В. Филиппова «Фитофтороз картофеля»

1. Богуславская Н.В., Филиппов А.В. Распространение возбудителя фитофтороза пасленовых в почве. // Микология и фитопатология, 1976, т. 10, № 4, с. 316.
2. Ван дер Планк Я.Е. Болезни растений (эпифитотии и борьба с ними) – М.: "Колос", 1966, с. 5–359.
3. Горбунова Е.В., Багирова С.Ф., Долгова А.В., Дьяков Ю.Т. Вегетативная несовместимость фитопатогенного гриба *Phytophthora infestans*. // Доклады АН СССР, 1989, т. 304, № 5, р. 1245–1248.
4. Гуревич Б.И., Филиппов А.В., Тверской Д.Л. Сравнение двух методов оценки потерь урожая картофеля, вызванных фитофторозом на листьях // Сельскохозяйственная биология, 1977, т. 12, № 3, с. 444–448.
5. Дьяков Ю.Т. и Долгова А.В. Вегетативная несовместимость у фитопатогенных грибов. – МГУ, 1995, с. 1–160.
6. Кузнецова М.А. Обоснование применения некоторых биологически активных препаратов и средств для защиты картофеля от фитофтороза. Автореф. диссерт., 2000 г., 21 с.
7. Маглакелидзе А.И. и Кварцхава П.А. Источники весеннего возобновления *Phytophthora infestans* (Mont.) dBy в Западной Грузии. // Труды Академии наук Грузинской ССР, 1970, т. 2, № 57, с. 477–480 (на груз. языке).
8. Маглакелидзе А.И. Особенности развития фитофтороза томатов и разработка методов защиты их в Западной Грузии. Автореферат кандидатской диссертации, 1971, с. 1–21.
9. Наумова Н.А. Фитофтороз картофеля. – Изд-во "Колос", 1965, 188 с.
10. Рогожин А.Н., Филиппов А.В. Распределение и жизнеспособность конидий *Phytophthora infestans* (Mont.) dBy в

атмосфере над пораженными посадками картофеля //Микология и фитопатология, 1983, т. 17, № 3, р. 225–227.

11. *Стиглазова С.Ю.* Вредоносность и патогенные свойства возбудителя фитофтороза картофеля (*Phytophthora infestans* (Mont.) dBy) в различных регионах Российской Федерации. Автореферат диссертации, 2004, с. 1–24.

12. *Стародуб И.Л., Гуревич Б.И.* Использование пятидневного прогноза погоды для вычисления вероятности вспышек фитофтороза картофеля. // Метеорология и гидрология, 1989, № 7, с. 28–36.

13. *Шнаар Д., Быкин А., Дрегер Д.* и др. Картофель. – ДЛВ "Агродело", 2010, 252 с.

14. *Andersson B., Sandstöm M. and Strömberg A.* Indication of soil borne inoculum of *Phytophthora infestans*. // Potato Research, 1998, № 41, p. 305.

15. Answorth and Bisby's. Dictionary of the Fungi. 9th Edition, 2001.

16. *Bødker L., Pedersen H., Kristensen K., Møller L., Lehtinen A. and Hannukkala A.* Influence of crop history of potato on early occurrence and disease severity of potato late blight caused by *Phytophthora infestans*. // Ninth Workshop of European Network for development of an integrated control strategy of Potato late blight. PPO Special Report, 2006, № 11, p. 53–56.

17. *Bain R.A.* report of the fungicide subgroup: Discussion of potato late blight fungicides, their properties and ratings. Proceedings of the Eleventh Euroblight Workshop. // PPO–Special Report, 2008, № 13, p. 177–181.

18. *Bain R.A.* Report of the fungicide sub-group meeting on 5 May 2010: Discussion of potato blight fungicides their properties and rating. // Proceedings of the Twelfth Euroblight Workshop. Special Report, 2010, № 14, p. 117–125.

19. *Bourke P.M.* The forecasting from weather data of potato blight and pests. // World Meteorol. Organization Tech. Note №106 W.M.O., 1955, № 42, p. 16, 48.

20. *Bradshaw N.J.* Discussion of potato early and late blight fungicides, their properties and characteristics: Report of fungicide subgroup // Proceedings of the 8th Workshop of and European network for development of an integrated control strategy of potato late blight. PPO Special Report, 2004, № 10, p. 151–157.

21. *Carter D.A., Buck K.W., Archer S.A., Van der Lee T., Shattock R.C. and Show D.S.* The detection of nonhybrid, trisomic and triploid offspring in sexual progeny of a mating of *Phytophthora infestans*. // Fungal Genetic Biology, 1999, № 26, p. 158.

22. *Chabane K., Leroux P., Maia N. and Bompeix G.* Resistance to dimetomorph in laboratory mutants of *Phytophthora parasitica*. // In: H. Lyr, P.E. Russell and H.D. Sisler (eds.), Modern Fungicides and Antifungal Compounds, 1996, p. 387–391.

23. *Cohen Y. and Gisi U.* Uptake translocation and degradation of [¹⁴C] cymoxanil in tomato plants. // Crop Protection, 1993, № 12, p. 284–292.

24. *Cohen Y., Baider A. and Cohen B.* Dimetomorph activity against oomycete fungal plant pathogens // Phytopathology, 1995, № 85, p. 1500–1563.

25. *Colon L.T., Turkensteen L.J., Prummel W., Budding D.J., Hoogendorn J.* Durable resistance to late blight (*Phytophthora infestans*) in old potato cultivars. // European Journal of Plant Pathology, 1995, № 101, p. 387–397

26. *Duncan J.M.* Phytophthora – an abiding threat to our crops. // Microbiology Today, 1999, № 26, p. 114–116.

27. *Elansky S., Smirnov A., Dyakov Yu., Dolgova A., Filippov A., Kozlovsky B., Kozlovskaya I., Russo R., Smart. C., Fry W.* Genotypic

analysis of Russian isolates of *Phytophthora infestans* from Moscow region, Siberia and Far East. // J. Phytopathol., 2001, № 149, p. 605–611.

28. *Evenhuis B., Lodewijk J., Turkensteen L., Raatjes P. and Flier W.* Monitoring primary sources of inoculum of *Phytophthora infestans* in the Netherlands `1999–2005. // Tenth Workshop of European Network for development of an integrated control strategy of Potato late blight. PPO Special Report, 2007, № 12, p. 357–363.

29. *Filippov A.V., Gurevich B.I., Kozlovsky B.E., Kuznetsova M.A., Rogozhin A.N., Spiglazova S.Yu., Smetanina T.A.* Rapid method for evaluation of partial potato resistance to Late Blight. Aggressiveness of pathogen isolates originating from different regions of Russia. // Plant Breeding and Seed Science, 2004, № 50, p. 29–41.

30. *Filippov A.V., Kuznetsova M.A., Rogozhin A.N., Spiglazova S.Yu., Smetanina T.A., Derenko T.A., Statsjuk N.V.* Efficacy of the VNIIF Blight Decision Support system in the control of potato late blight in Russia. // 11 Euroblight Workshop. PPO Special Report, 2008, № 13, p. 243–250.

31. *Filippov A.V., Kuznetsova M.A., Kozlovsky B.E., Kozlovskaya I.N., Rogozhin A.N.* Activation of late blight resistance in potato foliage and tubers by Russian fungicide Aluphit containing phosphorous acid //Tenth Workshop of an European Network for development of an integrated Control Strategy of potato late blight, 2007, № 12, p. 259–264.

32. *Flier W.G.* Variation of *Phytophthora infestans*, sources and implications. // PhD. Thesis, – Wageningen University, the Netherlands, 2001.

33. *Fry W.E., Spielman L.I.* Population Biology. In: *Phytophthora infestans*, the cause of late blight of potato. // Advances in Plant Pathology, 1991, v. 7, p. 171–192.

34. *Genet J-L., Bugaret Y., Jaworsla G. and Hamlen R.* Etudes de l'action curative du cymoxanil sur le mildiou de la vigne / ANPP: 5th

International Conference on Plant Diseases, Tours, 1997, p. 879–886.

35. *Gisi U.* Chemical control of downy mildews. In: *Advanced in Downy Mildew Research*, 2002, p. 119–159.

36. *Godwin J.R., Young J.E., Woodward D.S. and Hart C.A.* Azoxystrobin: effects on the development of grapevine downy mildew (*Plasmopara viticela*). ANPP: 5th International Conference on Plant Diseases, Tours, 2007, p. 871–878.

37. *Goodwin S.B., Spielman L.I., Matuszak J.M., Bergeron S.N., Fry W.E.* Clonal diversity and genetic differentiation of *Phytophthora infestans* populations in northern and central Mexico. // *Phytopathology*, 1992, № 82, p. 955–961.

38. *Grunwald N.S., Montes R., Soldana G.Z., Covarrubias H.R. and Fry W.E.* Potato late blight management in Toluca Valley: Field validation of SimCast modified for cultivars with high field resistance. // *Plant disease*, 2002, № 86, p. 1163–1168.

39. *Hannukkala A.O., Kaukoranta T., Lehtinen A., Rahkonen A.* Late blight epidemic on potato in Finland, 1993–2002; increased and earlier occurrence of epidemic associated with climate change and lack of rotation. // *Plant Pathology*, 2006, № 56, p. 167.

40. *Hannukkala A.O. and Lehtinen A.* Development of insensitivity of *Phytophthora infestans* to Metalaxyl and Propamocarb hydrochloride in Finland in 1990–2000. // *Proceedings of the Euroblight Workshop. Special Report*, 2002, № 18, p. 277–278.

41. *Hansen J.G., Lassen P., Valskyte A., Turka J.* Operational use of Internet based decision support for control of potato late blight in Estonia, Latvia and Lithuania, 2001 with focus on: Late blight, monitoring, forecasting and variety observation trials. // *Proceedings of the 6th Workshop of and European network for development of an integrated control strategy of potato late blight. PPO Special Report*, 2002, № 8, p. 25–39.

42. Heddergott H. Über 100 Jahre Krautfäulebekämpfung // Der Kartoffelebau, 1957, № 8, p. 82–84.

43. Hunds H. Forecast-Xtra. A new Blight service in the UK. Proceedings of the Ninth Workshop of an European network for development of an integrated control strategy of potato late blight // PPO–Special Report, 2006, № 11, p. 129–134.

44. Hohl H.R., Iselin K. Strains of *Phytophthora infestans* from Switzerland with A2 mating type behavior. // Transactions of the British Mycological Society, 1984, № 83, p. 529–530.

45. Huggenberger F. and Knauf-Beiter G. Mandipropamid – protection of new growth from infection with late blight (*Phytophthora infestans*) in potatoes. Proceedings of the Eleventh Workshop of an European Network for development of an Integrated Control Strategy of potato late blight // PPO–Special Report, 2008, № 13, p. 153–158.

46. James W.C. Assessment of plant diseases and losses. // Annual Review of Phytopathology, 1974, № 12, p. 27–48.

47. Judelson H.S. Expression and inheritance of sexual preference and selfing potential in *Phytophthora infestans*. // Fungal Genetic Biology, 1997, № 21, p. 188.

48. Kato M., Mizubuti E.S., Goodwin S.B. and Fry W.E. Sensitivity to protectant fungicides and pathogenic fitness of clonal lineages of *Phytophthora infestans* in the United States // Phytopathology, 1997, № 87, p. 973–978.

49. Kessel S.T., Flier W.G., Spits H.G., Wander J.G. and Schepers H.T.A.M. Exploration of cultivar resistance using reduced fungicide dose rates, the Wageningen UR approach. Proceedings of the Eighth Workshop of an European Network for development of an Integrated Control Strategy of potato late blight // PPO–Special Report, 2004, № 10, p. 211–214.

50. Kleinhenz B., Falke K., Kakau J., Rossberg D. Simblight 1: a

new approach to predict first outbreak of late blight. // Proceedings of the 9th Workshop of and European network for development of an integrated control strategy of potato late blight. PPO Special Report, 2006, № 11, p. 237–245.

51. *Kloeppe J.W., Tuzin S., Kuc J.A.* Proposed definitions related to induced disease resistance. // *Biocontrol Science and Technology*, 1992, № 2, p. 349–351.

52. *Knapova G., Schlenzig A., Gisi U.* Crosses between isolates of *Phytophthora infestans* from potato and tomato and characterization of F1 and F2 progeny for phenotypic and molecular markers. // *Plant Pathology*, 2002, № 51, p. 698.

53. *Kuznetsova M.A., Ulanova T.I., Rogozhin A.N., Smetanina T.I. and Filippov A.V.* Role of oospores in the overwintering and year-on-year development of the late blight pathogen on tomato and potato. // Twelfth Euroblight Workshop. PPO Special Report, 2010, № 14, p. 223–230.

54. *Kuznetsova M.A., Spiglazova S.Yu., Smetanina T.I., Kozlovsky B.E., Derenko T.A. and Filippov A.V.* Effect of Quadris applied as an in-furrow spray against the late blight and early blight on a potato foliage. // Proceedings of the 11th Euroblight Workshop. PPO Special Report, 2009, № 13, p. 275–280.

55. *Lapwood D.H.* Haulm and tuber resistance to *Phytophthora infestans*. In: Rothamsted Experimental Station Report for 1963 – Harpenden, 1964, p. 111–112.

56. *Lees A.K., Cook D.E., Stewart J.A., Sullivan L., Williams N.A. and Carnegie S.F.* *Phytophthora infestans* population changes implications. // Eleventh Euroblight Workshop. PPO Special Report, 2009, № 13, p. 55–60.

57. *Lehtinen A., Hannukkala A.* Oospores of *Phytophthora infestans* in soil provide an important new source of primary inoculum in Finland. // *Agricultural and Food Science*, 2004, № 13, p. 399.

58. *Lehtinen A., Hannukkala A. and Rantanen A.* Infection potential and variation soil borne *Phytophthora infestans*. // Sixth Workshop of European Network for development of an integrated control strategy of Potato late blight. PPO Special Report, 2002, № 8, p. 67–71.

59. *Miller I.S.* Significance of Sexual Reproduction in *Phytophthora infestans* epidemiology // *Am. Potato Research*, 2001, № 78, v. 6, p. 468.

60. *Nemestothy G.N. and Guest D.I.* Phytoalexin accumulation, phenylalanine ammonia lyase activity and ethylene biosynthesis in fosetyl-Al treated resistant and susceptible tobacco cultivars infected with *Phytophthora nicotiana*. // *Physiological and Molecular Plant Pathology*, 1990, v. 37, p. 207–219.

61. *Niederhauser J.S.* *Phytophthora infestans*: The Mexican connection. In: JA Lucas, RC Shattock, DS Shaw, LR Cooke (eds.), *Phytophthora*. – Cambridge. Cambridge University Press, 1991, p. 56–73.

62. *Niepolod F.* Rescue experiments for evaluating fungicide insensitive *Phytophthora infestans* isolates // *Proceedings of the 8th Workshop of and European network for development of an integrated control strategy of potato late blight*. PPO Special Report, 2004, № 10, p. 189–193.

63. *Rubin E., Baider A., Cohen Y.* *Phytophthora infestans* produces oospores in fruit and seed of tomato. // *Phytopathology*, 2001, № 91, p. 1070–1080.

64. *Schepers H., Andrivom D., Gaucher D., Kapsa J., Lebecka R., Nielsen B., Evenhuis B. and Michelina R.* Results of the Potato Case Study in the EU-network of excellence, Endure. // 13th Euroblight Workshop. PPO Special Report, 2009, № 31–36.

65. *Schepers H.T.A.M.* Decision support systems for integrated control of late blight. // *Plant Breeding and Seed Science*, 2004, № 50, p. 57–61.

66. *Schuman G.L.* Plant diseases: The biology and social impact. // The American Phytopathological Society, APS Press, St. Paul Mn., 1991.

67. *Shaner G. and Finney R.E.* The effect of nitrogen fertilization on the expression of slow-mildewing resistance in Knox wheat // *Phytopathology*, 1974, № 67, p. 1051–1056.

68. *Shaw D.S., Fyfe A.M., Hibberd P.G., Abdel Sattar M.A.* Occurrence of the rare A2 mating type of *Phytophthora infestans* on imported Egyptian potatoes and the production of sexual progeny with A1 mating types. // *Plant Pathology*, 1985, № 34, p. 552.

69. *Smart C., Mayton H., Mizubiti E., Fry W.* Environmental and genetic factors influencing self-fertility in *Phytophthora infestans* // *Phytopathology*, 2000, № 90, p. 987.

70. *Steiner U. and Schönbeck F.* Induced resistance against biotrophic fungi. In: H.Lyr, P.E. Russell and H.D. Sisler (eds.), *Modern Fungicides and Antifungal Compounds*, 1996, p. 511–517.

71. *Turkensteen L.S.* Durable resistance of potatoes against *Phytophthora infestans*. In Th. Jabobs, J.E. Parjevliet (eds.): *Durability of Disease Resistance*, 1993, p. 115–124.

72. *Turkensteen L.S., Flier W.* Production, survival and infectivity of oospores of *Phytophthora infestans*. // *Plant Pathology*, 2000, № 49, p. 688.

73. *Widmark A.K., Andersson B., Cassek-Lundhagen A., Sandstöm M., Yuen J.E.* *Phytophthora infestans* in a single genotypic variation. // *Plant Pathology*, 2007, № 56, p. 573.